

**CUSTOM DESIGNED  
AND ENGINEERED  
TANK SOLUTIONS**



**PEABODY**  
engineering

*No Boundaries.™*

## High Density Linear Polyethylene Single Wall Tank **Value-Paks**

◆ **Silver Pak**

▲ **Gold Pak**

◆ **Platinum Pak**

Peabody Tanks are manufactured from Exxon Escorene 8660 resin, a high purity FDA approved HDLPE (High Density Linear Polyethylene) resin. HDLPE tanks have superior chemical resistance, extreme durability and excellent UV stabilizers, making them an ideal choice for a wide range of applications from food processing and semiconductor to heavy duty industrial chemical storage. Most of our tanks are also NSF 61 compliant.

HDLPE resins are weldable, allowing for installation of welded process nozzles from 1/2" to 14" and larger if required.

Our tanks are rated for temperatures up to 125°F and over 165°F with special upgraded enhancements upon request.

Our standard tanks are rated for 1.5 Specific Gravity contents. We offer 2.0 SPG tanks upon request.



**HIGH QUALITY  
POLYETHYLENE SINGLE  
WALL VERTICAL TANKS**

WWW.PEABODYENGINEERING.COM

PLASTIC TANKS AND MORE


*Tank Packages designed with our most popular options making*

*Single Wall Tank Systems simple, feature rich, and easy to order*

# Peabody Engineering's Single Wall Value-Paks

*Making Life Easier A Single Wall at A Time*

- Gold or Platinum upgraded packages include features of preceding package(s) plus new upgraded features
  - Prices do not include shipping or tax
- Fittings are available in 1" or 2" sizes; Larger sizes available upon request
- For questions/information please call 1-800-4-PEABODY



# ◆ Silver Pak Features ◆

KEY ID #	PART	DESCRIPTION
--	Plastic Bulkhead Fittings	Choice of PVC or PPL. Plastic fittings won't corrode over time and are very durable
--	CAD Drawings	CAD Submittal Drawings are provided to ensure the tank meets the needs of your application.
--	Shipping Prep	Includes heavy duty shrink wrap to protect your tank from the elements during transit
1S	18" OD Lid	Standard vented twist lid vents up to 450 gallons per minute during discharge or filling
2S	2" Fill	FPT fill connection high on tank sidewall
3S	2" Drain with Ball Valve	Bolted style polypropylene ball valve screws into 2" Drain for secure on/off draining

# ▲ Gold Pak Features ▲

KEY ID #	PART	DESCRIPTION
--	Silver Features	All features of Silver Pak are included with the following changes/additions
--	Polyethylene Welded Flanges or Couplings*	All Gold Tank's fittings are Peabody welded and gasketless. Welded fittings provide for industrial grade reliability for all of your tank connections. Made from 100% polyethylene, these fittings are all custom fabricated for optimum performance and chemical resistance
1G	Lifting Lugs	Zinc plated lifting lugs allow quick installation of tank by attaching and hoisting tank into position
2G	Drop Fill Line	Installed into Silver 2" Fill (2S), 42" up from the ground level for easy filling of tank. Includes ball valve, check valve, and PPL quick coupler and cap
3G	Inverse Level Gauge	Standard with fiberglass encapsulated calibration chart in gallons to easily check fluid level from exterior of tank

*\*If desired, Stainless Steel Bulkhead fittings can be substituted at no additional cost*

# ◆ Capacities and Pricing ▲

CAPACITY (GALS)	DIMENSIONS (DIA. x HT.)	SILVER PART #	SILVER PRICE	GOLD PART #	GOLD PRICE
1,100	87" x 53"	293-29108	C A L L F O R P E A B O D Y I D N Y G	293-29130	C A L L F O R P E A B O D Y I D N Y G
1,550	87" x 67"	293-29110		293-29132	
2,100	87" x 89"	293-29112		293-29134	
2,500	95" x 91"	293-29113		293-29135	
3,000	95" x 109"	293-29114		293-29136	
4,000	102" x 125"	293-29115		293-29137	
5,000	102" x 152"	293-29116		293-29138	
6,000	102" x 182"	293-29117		293-29139	
6,500	119" x 150"	293-29118		293-29140	
7,800	119" x 176"	293-29119		293-29141	
8,400	119" x 188"	293-29120		293-29142	
9,000	141" x 146"	293-29121		293-29143	
10,000	141" x 160"	293-29122		293-29144	
12,000	141" x 193"	293-29123		293-29145	
15,000	141" x 244"	293-29124	293-29146		

*Additional tank capacities are available. For more information on additional sizes please call us at 1-800-4-PEABODY or email us at sales@etanks.com*



# ◆ Platinum Pak Features ◆

Platinum Pak includes all features of Gold Pak plus those seen and listed below (FRP Ladder)

## FRP LADDER

FRP Ladders are OSHA compliant, corrosion resistant and attaches directly to tank for easy top access. All ladder systems come with required hardware included.



# ◆ Platinum Pak Pricing ◆

PART #	CAPACITY (GALS)	DIMENSIONS (DIA. x HT.)	PRICE (\$)
293-29152	1,100	87" x 53"	CALL FOR PRICING
293-29154	1,550	87" x 67"	
293-29156	2,100	87" x 89"	
293-29157	2,500	95" x 91"	
293-29158	3,000	95" x 109"	
293-29159	4,000	102" x 125"	
293-29160	5,000	102" x 152"	
293-29161	6,000	102" x 182"	
293-29162	6,500	119" x 150"	
293-29163	7,800	119" x 176"	
293-29164	8,400	119" x 188"	
293-29165	9,000	141" x 146"	
293-29166	10,000	141" x 160"	
293-29167	12,000	141" x 193"	
293-29168	15,000	141" x 244"	

## Additional Single Wall Features and Adders

Additional options including seismic restraint systems, heating and insulation, side manways, level control, etc. are available at an additional cost.

For more information on what is available please visit [www.etanks.com/pamphlets](http://www.etanks.com/pamphlets) or call our sales team at 1-800-4-PEABODY

13435 Estelle Street Corona, CA 92879

[www.etanks.com](http://www.etanks.com)

ph: 951-734-7711 | fx: 951-734-4111

[sales@etanks.com](mailto:sales@etanks.com)

